

## AMENDMENTS TO THE CLAIMS

Please amend the claims as follows:

1. (Currently Amended) Isolated oligoclonal antibodies able to recognize and bind the antigenic epitope of at least one glycosylated cytoplasmic or non glycosylated nuclear isoform of human clusterin in a selective and specific way,

wherein the antigenic epitope of the non glycosylated nuclear isoform is selected from the ~~group of amino acid sequences~~ antigenic epitope consisting of SEQ ID NO: 1 (QFNWVSRLANLTQGEDQK) (SEQ ID No 1), and or the antigenic epitope consisting of non glycosylated SEQ ID NO: 2 (TKLKELPGVCNETMMALWEE) (SEQ ID No 2), and

wherein the antigenic epitope of the glycosylated cytoplasmic isoform is selected from the ~~group of amino acid sequences~~ antigenic epitope consisting of SEQ ID NO: 2 (TKLKELPGVCNETMMALWEE) (SEQ ID No 2) glycosylated at its N residue, the antigenic epitope consisting of SEQ ID NO: 3 (TNEERKTLLSNLEEAK) (SEQ ID No 3), [[and]] or the antigenic epitope consisting of SEQ ID NO: 4 (METVAEKALQEYRKK) (SEQ ID No 4), and

wherein said epitope is immunogenic.

2-4. (Cancelled)

5. (Previously Presented) Oligoclonal antibodies according to claim 1, wherein the antibodies are tagged.

6. (Previously Presented) Oligoclonal antibodies according to claim 5, wherein the antibodies are tagged with a fluorochrome, a radioactive isotope, an enzyme, biotin or a chemiluminescent substance.
7. (Previously Presented) Oligoclonal antibodies according to claim 6, wherein the fluorochrome is selected from the group consisting of fluorescein, ficolitine, rhodamine, texas red, and coumarine.
8. (Original) Oligoclonal antibodies according to claim 6, wherein the radioactive isotope is  $^{14}\text{C}$  or  $^3\text{H}$ .
9. (Original) Oligoclonal antibodies according to claim 6, wherein the chemiluminescent substance is luciferin.
10. (Original) Oligoclonal antibodies according to claim 6, wherein the enzyme is selected from the group consisting of horseradish peroxidase (HRP) or alkaline phosphatase.
11. (Currently Amended) Isolated immunogenic ~~immunogenic~~ antigenic epitopes of at least one isolated human clusterin isoform selected from the group consisting of at least one of the following amino acid sequences: the antigenic epitope consisting of SEQ ID NO: 1 (QFNWVSRLANLTQGEDQK) (SEQ ID No 1); the antigenic epitope consisting of SEQ ID NO: 2 (TKLKELPGVCNETMMALWEE) (SEQ ID No 2);

the antigenic epitope consisting of SEQ ID NO: 3 (TNEERKTLLSNLEEAK) (SEQ ID No 3); or the antigenic epitope consisting of SEQ ID NO: 4 (METVAEKALQEYRKK) (SEQ ID No 4).

12. (Currently Amended) A method for the preparation of the isolated oligoclonal antibodies, as defined in claim 1, which comprises the following steps:

solid phase synthesis of at least one of the antigenic epitopes of at least one human clusterin isoform selected from ~~the group consisting of at least one of the following amino acid sequences: the antigenic epitope consisting of SEQ ID NO: 1 (QFNWVSRLANLTQGEDQK) (SEQ ID No 1); the antigenic epitope consisting of SEQ ID NO: 2 (TKLKELPGVCNETMMALWEE) (SEQ ID No 2); the antigenic epitope consisting of SEQ ID NO: 3 (TNEERKTLLSNLEEAK) (SEQ ID No 3); or the antigenic epitope consisting of SEQ ID NO: 4 (METVAEKALQEYRKK) (SEQ ID No 4);~~

conjugation of at least one of the antigenic epitopes wherein a proteic carrier in order to make the epitope immunogenic;

animal immunization with ~~[[this]]~~ said immunogenic epitope in complete Freund adjuvant; and

serum withdrawal from ~~[[this]]~~ the immunized animal and purification of the oligoclonal antibodies.

13. (Original) A method according to claim 12, wherein the proteic carrier is the bovine serum albumin.

14. (Previously Presented) A method according to claim 12, wherein the animal is rabbit.

15. (Previously Presented) An immunological method for detection of the clusterin levels in biological samples which comprises the following steps:

protein extraction from this biological sample;

specific incubation of the proteic extract with at least one of the isolated oligoclonal antibodies described in claim 1, in order to obtain an antigen antibody complex; and

qualitative and quantitative revelation of the antigen antibody complex.

16. (Previously Presented) Immunological method according to claim 15 for diagnosis of tumors characterized by expression of clusterin and the prediction of their malignancy grade.

17. (Previously Presented) An immunological method according to claim 15, wherein the biological sample is selected from the group consisting of blood, stool, seminal fluid, pleural fluid, ascitic fluid, urine, and liquor.

18. (Previously Presented) An immunological method according to claim 16 wherein the tumors are selected from the group consisting of colorectal, breast, prostate, testis and ovary carcinomas, tumors of the Central Nervous System and of the haemo lymphopoietic system.

19. (Previously Presented) An immunological method according to claim 15, wherein the detection of step c) is done by using one of the following techniques: ELISA, Western Blot, RIA, immunohistochemistry.

20. (Previously Presented) Diagnostic kit for diagnosis of tumors and prediction of their malignancy grade which comprises at least one of the oligoclonal antibodies as defined in claim 1.

21. (Previously Presented) Diagnostic kit according to claim 20 wherein the tumors are selected from the group consisting of colorectal, breast, prostate, testis and ovary carcinomas, tumors of the Central Nervous System and of the haemo lymphopoietic system.

22-26. (Cancelled)